

References

Module 1

1. Cruickshank M, Ferguson J, editors. Reducing harm to patients from health care associated infection: the role of surveillance: Australian Commission on Safety and Quality in Health Care; 2008.
2. NHMRC. Australian Guidelines for the Prevention and Control of Infection in Healthcare. Commonwealth of Australia; 2010.
3. World Health Organisation. WHO Guidelines on Hand Hygiene in Health Care. In: World Alliance for Patient Safety, editor. First Global Patient Safety Challenge Clean Care is Safer Care. 1 ed. Geneva: World Health Organisation Press; 2009.
4. Loftus RW, Muffly MK, Brown JR, Beach ML, Koff MD, Corwin HL, et al. Hand Contamination of Anesthesia Providers Is an Important Risk Factor for Intraoperative Bacterial Transmission. *Anesthesia & Analgesia*. 2011;112(1):98-105.
5. The Healthcare Infection Control Practices Advisory Committee (HICPAC). Recommendations for preventing the spread of vancomycin resistance. *Infection Control and Hospital Epidemiology*. 1995;16:105-13.
6. Boyce JM, Pittet D. Guideline for Hand Hygiene in Health-Care Settings: recommendations of the Healthcare Infection Control Practices Advisory Committee and the HICPAC/SHEA/APIC/IDSA Hand Hygiene Task Force. *Infect Control Hosp Epidemiol*. 2002 Dec;23(12 Suppl):S3-40.
7. Jacobson G, Thiele JE, McCune JH, Farrell LD. Handwashing: ring-wearing and number of microorganisms. *Nurs Res*. 1985 May-Jun;34(3):186-8.
8. McNeil SA, Foster CL, Hedderwick SA, Kauffman CA. Effect of hand cleansing with antimicrobial soap or alcohol-based gel on microbial colonization of artificial fingernails worn by health care workers. *Clin Infect Dis*. 2001 Feb 1;32(3):367-72.
9. Hedderwick SA, McNeil SA, Lyons MJ, Kauffman CA. Pathogenic organisms associated with artificial fingernails worn by healthcare workers. *Infection Control And Hospital Epidemiology: The Official Journal Of The Society Of Hospital Epidemiologists Of America*. 2000;21(8):505-9.
10. Pottinger J, Burns S, Manske C. Bacterial carriage by artificial versus natural nails. *American Journal Of Infection Control*. 1989 Dec;17(6):340-4.
11. Rubin DM. Prosthetic fingernails in the OR. A research study. *Aorn J*. 1988 Apr;47(4):944-5.



12. Gupta A, Della-Latta P, Todd B, San Gabriel P, Haas J, Wu F, et al. Outbreak of extended-spectrum beta-lactamase-producing *Klebsiella pneumoniae* in a neonatal intensive care unit linked to artificial nails. *Infection Control & Hospital Epidemiology*. 2004 Mar;25(3):210-5.
13. Gordin FM, Schultz ME, Huber R, Zubairi S, Stock F, Kariyil J. A cluster of hemodialysis-related bacteremia linked to artificial fingernails. *Infection Control & Hospital Epidemiology*. 2007 Jun;28(6):743-4.
14. Foca M, Jakob K, Whittier S, Della Latta P, Factor S, Rubenstein D, et al. Endemic *Pseudomonas aeruginosa* infection in a neonatal intensive care unit. *New England Journal of Medicine*. 2000 Sep 7;343(10):695-700.
15. Passaro DJ, Waring L, Armstrong R, Bolding F, Bouvier B, Rosenberg J, et al. Postoperative *Serratia marcescens* wound infections traced to an out-of-hospital source. *J Infect Dis*. 1997 Apr;175(4):992-5.
16. Parry MF, Grant B, Yukna M, Adler-Klein D, McLeod GX, Taddonio R, et al. *Candida* osteomyelitis and diskitis after spinal surgery: an outbreak that implicates artificial nail use. *Clin Infect Dis*. 2001 Feb 1;32(3):352-7.
17. Baumgardner CA, Maragos CS, Walz J, Larson E. Effects of nail polish on microbial growth of fingernails. *Dispelling sacred cows*. *Aorn J*. 1993 Jul;58(1):84-8.
18. Wynd CA, Samstag DE, Lapp AM. Bacterial carriage on the fingernails of OR nurses. *Aorn J*. 1994 Nov;60(5):796.
19. Hoffman PN, Cooke EM, McCarville MR, Emmerson AM. Micro-organisms isolated from skin under wedding rings worn by hospital staff. *Br Med J (Clin Res Ed)*. 1985 Jan 19;290(6463):206-7.
20. Fagernes M, Lingaas E. Impact of finger rings on transmission of bacteria during hand contact. *Infection Control And Hospital Epidemiology: The Official Journal Of The Society Of Hospital Epidemiologists Of America*. 2009;30(5):427-32.
21. Rupp ME, Fitzgerald T, Puumala S, Anderson JR, Craig R, Iwen PC, et al. Prospective, controlled, cross-over trial of alcohol-based hand gel in critical care units. *Infection Control & Hospital Epidemiology*. 2008 Jan;29(1):8-15.
22. Larson E, Girard R, Pessoa-Silva CL, Boyce J, Donaldson L, Pittet D. Skin reactions related to hand hygiene and selection of hand hygiene products. *Am J Infect Control*. 2006 Dec;34(10):627-35.
23. McCormick RD, Buchman TL, Maki DG. Double-blind, randomized trial of scheduled use of a novel barrier cream and an oil-containing lotion for protecting the hands of health care workers. *American Journal Of Infection Control*. 2000 Aug;28(4):302-10.
24. Graham M, Nixon R, Burrell LJ, Bolger C, Johnson PDR, Grayson ML. Low rates of cutaneous adverse reactions to alcohol-based hand hygiene solution during prolonged use in a large teaching hospital. *Antimicrobial Agents & Chemotherapy*. 2005 Oct;49(10):4404-5.

25. Pittet D, Allegranzi B, Sax H, Dharan S, Pessoa-Silva CL, Donaldson L, et al. Evidence-based model for hand transmission during patient care and the role of improved practices. *The Lancet Infectious Diseases*. 2006 Oct;6(10):641-52.
26. Grayson M, Russo P, Ryan K, Bellis K, Heard K. *Hand Hygiene Australia: 5 Moments for Hand Hygiene - Manual*. 2009.

